

MODULE 13

FOR B2 CERTIFICATION

AIRCRAFT AERODYNAMIC STRUCTURES AND SYSTEMS

Aviation Maintenance Technician Certification Serie



72413 U.S. Hwy 40
Tabernash, CO 80478-0270 USA

www.actechbooks.com

+1 970 726-5111

WELCOME

The publishers of this Aviation Maintenance Technician Certification Series welcome you to the world of aviation maintenance. As you move towards EASA certification, you are required to gain suitable knowledge and experience in your chosen area. Qualification on basic subjects for each aircraft maintenance license category or subcategory is accomplished in accordance with the following matrix. Where applicable, subjects are indicated by an "X" in the column below the license heading.

For other educational tools created to prepare candidates for licensure, contact Aircraft Technical Book Company.

We wish you good luck and success in your studies and in your aviation career!

REVISION LOG

VERSION	EFFECTIVE DATE	DESCRIPTION OF CHANGE
001	2016 01	Module Creation and Release
002	2017 02	Format Update
003	2017 08	Module 03 Revisions
003.1	2018 05	Image correction to Figures 4-38, 4-39. Typo corrections in Sub-Module 03 and 04.
003.2	2019 07	Sub-Module 08 enhancement, typo corrections and figure realignment.

AIRCRAFT AERODYNAMIC STRUCTURES AND SYSTEMS

Welcome	iii
Revision Log.....	iii
Forward.....	iv
Contents	xiii

SUB-MODULE 01

THEORY OF FLIGHT

Knowledge Requirements	1.1
Aeroplane Aerodynamics and Flight Controls	1.2
Primary Flight Control Surfaces.....	1.2
Operation and Effect Of Roll Control Devices	1.2
Ailerons	1.2
Spoilers	1.4
Operation and Effect Of Pitch Control Devices	1.4
Elevators	1.4
Stabilators	1.5
Variable Incidence Stabilizers.....	1.5
Canards	1.5
Operation and Effect Of Yaw Control Devices	1.6
Rudders	1.6
Rudder Limiters	1.6
Secondary Or Auxiliary Control Surfaces	1.6
Operation and Effect Of Tabs	1.6
Trim Tabs.....	1.6
Balance Tabs.....	1.8
Servo Tabs	1.8
Anti-Servo/Anti-Balance Tabs	1.8
Control Surface Bias	1.8
High Lift Devices	1.9
Flaps	1.9
Flaperons.....	1.10
Slats	1.11
Slots.....	1.11
Elevons and Ruddervators	1.12
Drag Inducing Devices	1.12
Spoilers	1.12
Speed Brakes.....	1.12
High Speed Flight	1.12
Speed Of Sound.....	1.12
Mach Number, Subsonic, Transonic and	
Supersonic Flight	1.12
Shock Wave.....	1.13
Critical Mach Number	1.14
Rotary Wing Aerodynamics	1.14
Terminology.....	1.14

Rotary Wing Aircraft Configuration	1.14
Flight Conditions	1.15
Hovering Flight	1.15
Vertical Flight	1.16
Forward Flight	1.17
Autorotation	1.17
Operation and Effect Of Rotorcraft Controls	1.17
Flights Controls Configuration	1.17
Swash Plate Assembly	1.17
Collective Pitch Control	1.18
Throttle Control.....	1.19
Governor/Correlator	1.19
Cyclic Pitch Control	1.19
Antitorque Pedals.....	1.20
Questions	1.21
Answers	1.22

SUB-MODULE 02

STRUCTURES — GENERAL CONCEPTS

Knowledge Requirements	2.1
Fundamentals Of Structural Systems	2.2
Structural Classification	2.2
Primary Structure	2.2
Secondary Structure	2.2
Tertiary Structure	2.2
Structural Stresses	2.2
Construction Methods	2.4
Fuselage	2.4
Wing, Empennage and Engine Attachment	2.5
Aircraft Construction	2.6
System Installation Provisions	2.6
Station Identification and Zonal Location Systems	2.8
Station Numbering	2.8
Zonal Identification System	2.9
Access and Inspection Panels	2.9
Lightening Strike Protection and Bonding	2.11
Questions	2.13
Answers	2.14

SUB-MODULE 03

AUTOFLIGHT (ATA 22)

Knowledge Requirements	3.1
Fundamentals Of Automatic Flight Control.....	3.2
Introduction	3.2
Basic Architecture Of AFSC	3.3
Robustness Of AFCS	3.3
Command Signal Processing	3.4

CONTENTS

Basic Types Of AFSC	3.4	Simplex	3.23
Trimmed Flight Holding	3.4	Multiplex	3.23
Stability Augmentation System (SAS)	3.4	Duplex System	3.23
Command Augmentation System (CAS)	3.5	Triplex System	3.24
Super Augmentation	3.6	Duplicate-monitored	3.24
AFCS Interface and Signal Processing.....	3.7	Dual-dual	3.24
Yaw Damper	3.8	Monitoring	3.24
Yaw Damper Coupler	3.8	Comparison monitor (or Comparator).....	3.24
Yaw Damper Engage Switch.....	3.8	Equalizer	3.24
Warning Annunciator	3.10	Automatic Landing Sequence	3.24
Yaw Damper Rudder Position Indicator	3.10	Questions	3.27
Rudder Position Transducers.....	3.10	Answers	3.28
Rudder Transfer and Solenoid Valves	3.10		
Yaw Damper Operation.....	3.10		
Stability Augmentation System In Helicopters	3.11	SUB-MODULE 04	
SAS Components	3.11	COMMUNICATION/NAVIGATION (ATA 23/34)	
SAS Operation.....	3.12	Knowledge Requirements	4.1
Automatic Trim Control	3.13	Fundamentals Of Radiowave Propagation	4.2
Introduction	3.13	Wave Theory	4.2
Working Of Automatic Stabilizer Trim System.....	3.13	Transverse Waves.....	4.2
Trim Potentiometer.....	3.13	Longitudinal (Compressional) Waves.....	4.3
Sensor	3.13	Basic Wave Terminology	4.3
Feedback Unit	3.13	Amplitude (A).....	4.3
Limit Switches	3.15	Wave Length (λ).....	4.3
Autopilot Navigation Aids Interface	3.15	Frequency (f)	4.3
Instrument Landing System	3.15	Wave Period (T)	4.4
Localizer Element	3.15	Wave Front	4.5
Glide Path Element	3.16	Rays	4.5
Indicating Element	3.17	Electromagnetic Waves	4.5
Marker Beacon.....	3.17	Electromagnetic Spectrum	4.6
Auto-Throttle Systems	3.18	Radio Waves	4.6
Automatic Landing System.....	3.19	Radio Wave Generation	4.7
Introduction	3.19	Radio Frequency Spectrum	4.8
Importance of Control	3.19	High Frequency (Hf) Band	4.8
Modification in Automatic Landing	3.20	Very High Frequency (VHF) Band	4.8
Weather Minima.....	3.20	Ultra High Frequency (UHF) Band	4.8
Categories	3.20	Modulation	4.8
Weather Minima Vs All Weather Operations....	3.21	Radio Carrier	4.10
Modes Of Operation	3.21	Amplitude Modulation.....	4.10
Take-Off Mode	3.22	Modulation Index	4.12
Speed Control Mode.....	3.22	Frequency Modulation	4.13
Go-Around Mode.....	3.23	Modulation Index and Deviation Ratio	4.14
System Monitors and Failure Conditions	3.23	Sidebands	4.14
Limited Applications of Safety Devices	3.23	Bandwidth.....	4.15
Solution-System Redundancy	3.23	Single Side Band (SSB).....	4.16
Fail-soft	3.23	Phase Modulation.....	4.16
Fail-operational	3.23	Radio Wave Propagation.....	4.17
		Radio Transmitters and Receivers.....	4.18

Transmitters	4.18	Glideslope	4.49
Receivers	4.19	Compass Locators	4.49
Transceiver	4.20	Marker Beacons	4.51
Antennas	4.20	Microwave Landing System.....	4.53
Length	4.20	Operational Functions.....	4.53
Polarization, Directivity, and Field Pattern ..	4.21	Azimuth Guidance	4.54
Types.....	4.22	Glideslope Guidance	4.54
Dipole Antenna	4.22	Airborne Equipment	4.55
Marconi Antenna.....	4.22	Flight Director Systems	4.56
Loop Antenna	4.23	Distance Measuring Equipment (DME)	4.57
Transmission Lines	4.23	Very Low Frequency and Hyperbolic Navigation	
Aircraft Voice and Data Communication Systems	4.24	(VLF/OMEGA)	4.59
Very High Frequency (Vhf) Communication	4.24	Area Navigation (RNAV)	4.60
Transceiver	4.26	Doppler Navigation	4.61
Operational Mode.....	4.26	Doppler Radar	4.61
Maintenance Mode.....	4.26	Flight Management System (FMS).....	4.63
Power-On Self Test (POST)	4.26	Global Positioning System (GPS)	4.64
Continuous Monitoring	4.26	Wide Area Augmentation System (WAAS)	4.65
VHF Standby Control Panel.....	4.26	Global Navigation Satellite Systems (GNSS)	4.66
Antenna	4.26	GNSS Operational Elements	4.67
Audio & Radio Control Display Unit (ARCDU) ..	4.26	Inertial Navigation System (INS) / Inertial Reference	
High Frequency (Hf) Communication	4.28	System (IRS).....	4.68
Aircraft Voice Communications	4.31	Communication and Navigation Avionics	
Audio Integration System (AIS)	4.31	Installations	4.69
Remote Control Audio Unit (RCAU)	4.32	Traffic Alert and Collision Avoidance System (TCAS)4.70	
Audio Control Panel (ACP)	4.33	Weather Radar	4.72
INT/RAD Switch	4.34	Radio Altimeter	4.75
Flight Compartment Speaker	4.34	Aircraft Communication Addressing and	
Hand Microphone	4.34	Reporting System (ACARS)	4.76
Jack Box Console		Questions	4.77
(Flight Compartment, Observer, Ground).....	4.34	Answers	4.78
Push-To-Talk (PTT) Switch.....	4.34		
Cabin Attendant Handset	4.35	SUB-MODULE 05	
Cabin Intercommunication Data System (CIDS)	4.36	ELECTRICAL POWER (ATA 24)	
Passenger Address (PA).....	4.36	Knowledge Requirements	5.1
Cabin Inter-phone	4.36	Batteries	5.2
Service Inter-Phone	4.36	Primary Cell Batteries.....	5.2
Crew Signaling and Alerting	4.36	Secondary Cell Batteries	5.2
Emergency Locator Transmitter (ELT).....	4.37	Dry Charged (Flooded) Lead Acid Batteries	5.3
Cockpit Voice Recorder (CVR) and		Valve-Regulated (Sealed) Lead-Acid Batteries	
Flight Data Recorder (FDR)	4.40	(VRLA)	5.3
Post-Crash Cvr/Fdr Unit Recovery.....	4.42	Nickel Cadmium (NiCd) Batteries	5.3
Post-Crash Data Recovery.....	4.42	Lithium Ion Batteries	5.4
VOR Navigation System	4.42	Battery Installations and Operation.....	5.5
Automatic Direction Finder (ADF)	4.46	AC Power Generation	5.7
Instrument Landing Systems (ILS)	4.49	AC Alternators	5.9
Localizer	4.49	Alternator Drive	5.10

CONTENTS

AC Alternators Control Systems.....	5.12
DC Power Generation	5.13
Functions of Generator Control Systems	5.14
Voltage Regulation	5.14
Overvoltage Protection	5.14
Parallel Generator Operations	5.15
Over-Excitation Protection.....	5.15
Differential Voltage.....	5.15
Reverse Current Sensing.....	5.15
Generator Controls for High Output Generators....	5.15
Other Voltage Regulation	5.16
Carbon Pile Regulators.....	5.16
Three-Unit Regulators	5.17
DC Alternators and Controls	5.19
DC Alternators	5.19
DC Alternator Voltage Regulation	5.20
Solid State Voltage Regulators.....	5.20
Power Distribution	5.21
Power Distribution on Small Multi-engine Aircraft	5.21
Power Distribution on Large Aircraft	5.23
Split Bus Systems	5.23
Parallel Bus Systems	5.25
Split-Parallel Systems	5.26
Inverters, Transformers and Rectifiers.....	5.27
Inverters	5.27
Permanent Magnet Rotary Inverter	5.27
Inductor-Type Rotary Inverter.....	5.28
Static Inverters	5.31
Transformers	5.32
Current Transformers	5.35
Transformer Losses.....	5.36
Power in Transformers	5.36
Rectifiers	5.36
Silicon Controlled Rectifiers	5.38
Transformer Rectifiers.....	5.40
Circuit Protection	5.40
Current Limiting Devices	5.40
Fuses.....	5.40
Circuit Breakers.....	5.40
Emergency Power Generation	5.41
Standby Power	5.41
External/Ground Power.....	5.42
Questions	5.43
Answers	5.44

SUB-MODULE 06

EQUIPMENT AND FURNISHINGS (ATA 25)

Knowledge Requirements	6.1
Emergency Equipment Requirements	6.2
Emergency Lighting.....	6.3
Seats, Harnesses and Belts	6.3
Seats	6.3
Seat Belts and Harnesses.....	6.4
Cabin Lay-Out	6.4
Equipment Lay-Out.....	6.5
Cabin Furnishing Installation	6.6
Cabin Entertainment Equipment	6.6
In-Flight Entertainment	6.6
Current Generation IFE	6.6
Safety Considerations for IFE.....	6.7
Multiplexing.	6.7
Fibre Optics	6.7
Galley Installation	6.7
Cargo Handling and Retention Equipment	6.8
Airstairs	6.9
Questions	6.11
Answers	6.12

SUB-MODULE 07

FLIGHT CONTROLS (ATA 27)

Knowledge Requirements	7.1
Flight Controls (ATA 27)	7.2
Primary Flight Controls	7.2
Secondary Flight Controls	7.2
Trim Controls	7.2
Active Load Control	7.4
High Lift Devices	7.4
Lift Dump and Speed Brakes	7.5
Control System Operation	7.6
Mechanical Control.....	7.6
Control Cables	7.7
Push-Pull Tubes.....	7.7
Bellcranks and Levers	7.8
Jackscrews	7.8
Torque Tubes	7.8
Hydromechanical Control	7.9
Electrical and Electronic Controls	7.9
Pneumatic	7.11
Artificial Feel	7.11
Yaw Damper	7.11
Mach Trim.....	7.12
Rudder Limiter	7.12

Gust Lock Systems	7.12
Protection/Warning Systems	7.13
Fly-By-Wire Control	7.14
Fly-By-Optics	7.15
Fly-By-Wireless	7.15
Questions	7.17
Answers	7.18

SUB-MODULE 08

INSTRUMENTS (ATA 31)

Knowledge Requirements	8.1
Aircraft Instrumentation	8.2
Classifications Of Aircraft Instruments.....	8.2
Flight Instruments.....	8.2
Engine Instruments.....	8.3
Navigation Instruments.....	8.3
The Atmosphere	8.4
Characteristics Of The Atmosphere	8.4
Pressure	8.4
Density.....	8.5
Humidity	8.6
Temperature and Altitude	8.6
International Standard Atmosphere	8.7
Pressure Measuring Devices and Systems	8.8
Pressure References	8.8
Absolute Pressure	8.8
Differential Pressure	8.8
Gauge Pressure	8.8
Pressure Measurements (Mechanical)	8.9
Bourdon Tube	8.9
Diaphragm	8.10
Capsules	8.10
Bellows	8.10
Pressure Sensation & Transmission (Electrical).....	8.11
Pressure Switches	8.11
Potentiometric Pressure Sensor	8.12
Piezoresistive Devices	8.12
Wheatstone Bridge	8.12
Piezoelectric Devices	8.13
Capacitance Discharge Sensor	8.13
Pressure Measurement Accuracy	8.14
Static	8.14
Linearity/Non-Linearity	8.15
Hysteresis.....	8.15
Repeatability	8.16
Thermal	8.16
Pitot-Static System.....	8.16

Pitot Tube	8.16
Static Ports	8.17
Multifunction Probes	8.18
Altimeters	8.18
Triple Pointer Display Altimeter	8.18
Counter (Drum) Type Altimeter	8.20
Servo Assisted Altimeter	8.20
Digital Display Altimeter	8.21
Cabin Altimeter/Differential Gauge	8.21
Factors Affecting Altitude Readings	8.23
Air Pressure Variation	8.23
QNE (AA/Altitude Airways-Flight Level)	8.23
QFE (Q-Code Field Elevation)/AGL	8.23
QNH (Q-Code Nautical Height)/MSL.....	8.24
Temperature Variation.....	8.25
Scale Error	8.25
Position Error.....	8.26
System Leaks	8.26
Altimeter Serviceability Checks	8.26
Important Altitude Terminologies	8.26
Mean Sea Level.....	8.26
Aerodrome Elevation	8.26
Indicated Altitude.....	8.27
Absolute Altitude	8.27
True Altitude	8.27
Height	8.27
Pressure Altitude.....	8.27
Density Altitude	8.27
Calibrated Altitude	8.27
Transition Altitude	8.27
Transition Level	8.27
Transition Layer	8.27
Vertical Speed Indicator	8.27
Instrument Lag	8.28
Variometer.....	8.28
Digital Rate-of-Climb Indicators.....	8.29
Airspeed Indicator	8.29
Machmeter.....	8.30
Air Data Computers (ADC) and Digital Air Data	
Computers (DADC)	8.31
Temperature Indicating System	8.32
Non-Electric Temperature Indicators	8.32
Electrical Temperature Measuring Indication	8.32
Electrical Resistance Thermometer	8.32
Ratiothermometer Electrical Resistance Thermometers	8.35
Thermocouple Temperature Indicators.....	8.36

CONTENTS

Turbine Gas Temperature Indicating Systems....	8.37	Mode 6	8.56
Total Air Temperature Measurement.....	8.39	Mode 7	8.57
Fuel Quantity Indicating Systems	8.41	Wind Shear	8.57
Ratiometer-Type	8.41	Fault Annunciation	8.57
Capacitance-Type.....	8.41	EGPWS	8.57
Mechanical-Type	8.43	Terrain Clearance Floor (TCF)	8.57
Ultrasonic-Type	8.43	Direction Indicating Instruments	8.58
Gyroscopic Instruments	8.44	Direct Indicating Magnetic Compass	8.58
Sources Of Power For Gyroscopic Instruments	8.44	Vertical Magnetic Compass	8.60
Pressure-Driven Gyroscopic Instrument Systems ..	8.44	Remote Indicating Compass	8.60
Electrically-Driven Gyroscopic Instrument Systems	8.44	Remote Indicating Slaved Gyro Compass	8.61
Principles Of Gyroscopic Instruments	8.44	Flux Gate Compass.....	8.61
Mechanical Gyros.....	8.44	Solid State Magnetometers	8.62
Solid State Gyros and Related Systems	8.46	Flight Data Recorder (FDR).....	8.63
Ring Laser Gyros (RLG)	8.46	Description	8.63
Microelectromechanical Based Attitude and		ICAO Requirements.....	8.63
Directional Systems (MEMS)	8.47	Objective	8.63
Attitude Heading and Reference Systems	8.48	History	8.63
Common Gyroscopic Instruments.....	8.48	Principles Of Operation	8.64
Vacuum-Driven Attitude Gyros	8.48	Current Survivability Standards.....	8.65
Electric Attitude Indicators.....	8.49	Electronic Displays.....	8.65
Gyroscopic Direction Indicator or		Electronic Flight Instrument System	8.66
Directional Gyro (DG)	8.50	Engine Indication and Crew Alerting System (EICAS)	8.69
Turn Coordinators	8.51	Electronic Instrument Computing Systems	8.70
Turn-and-Slip Indicator	8.51	Stall Warning and Angle Of Attack (AOA) Indicators	8.74
Terrain Awareness and Warning System		Vibration Measurement and Indication	8.76
(GPWS & EGPWS)	8.52	Vibration Measurement and Indication	8.77
Ground Proximity Warning System (GPWS)	8.53	Instrument Warning System	8.78
Mode Annunciations	8.53	Warning and Indicating Lights.....	8.78
System Description	8.53	Warning Lights.....	8.78
GPWC	8.53	Caution Lights	8.78
Warning Lights.....	8.53	Indicating Or Advisory Lights	8.78
Ground Proximity Pull Up Light (RED)	8.53	Magnetic Indicators.....	8.79
Flap, Gear Light, Switch Ground Proximity,		Central Warning Systems	8.80
Glide Scope, Inhibit Light Switch	8.53	Glass Cockpit	8.82
Ground Proximity Flap Override Light, Switch		Questions	8.83
and Gear Override Switch	8.53	Answers	8.84
Warning Lights Gpws Control Panel	8.53		
B-777 GPWS Control Panel INOP Light	8.53		
Mode 1 - Large or Excessive Descent Rate....	8.53		
Mode 2 - Excessive Closure Rate	8.54		
Mode 2B - Excessive Closure Rate	8.54		
Mode 3- Descent After Take Off	8.54		
Mode 4	8.54		
Mode 5	8.55		
Descent Below Glideslope			
Descent Below GS	8.55		

SUB-MODULE 09

LIGHTS (ATA 33)

Knowledge Requirements	9.1
Aircraft Lighting Systems	9.2
Exterior Lights.....	9.2
Navigation / Position Lights.....	9.2
Anti-Collision Lights	9.2
Landing Lights	9.3
Taxi Lights	9.4

Wing Ice Inspection Lights	9.4
Interior Lights	9.5
Flight Deck/Control Cabin Lighting	9.5
Passenger Cabin Lights	9.5
Cargo Compartment Lighting	9.5
Emergency Lighting	9.6
Questions	9.7
Answers	9.8

SUB-MODULE 10

ONBOARD MAINTENANCE SYSTEMS

(ATA 45)

Knowledge Requirements	10.1
Introduction	10.2
Central Maintenance Systems (CMS)	10.2
Central Maintenance Computer (CMC)	10.2
Fault Classification	10.4
Built-In Test Equipment (BITE)	10.5
Multifunction Control Display Unit (MCDU)	10.6
Aircraft Communications Addressing and Reporting System (ACARS)	10.7
Data Loading Systems	10.8
Electronic Library System	10.10
Printing	10.10
Structure Monitoring	10.11
Questions	10.13
Answers	10.14

SUB-MODULE 11

AIR CONDITIONING AND CABIN

PRESSURIZATION (ATA 21)

Knowledge Requirements	11.1
Air Supply	11.3
Sources Of Supply Air	11.3
Bleed Air	11.3
Auxillary Power Unit - APU	11.4
Ground Cart	11.4
Air Conditioning Systems	11.5
Air Cycle Air Conditioning	11.5
System Operation	11.5
Pneumatic System Supply	11.6
Component Operation	11.6
Pack Valve	11.6
Bleed Air Bypass	11.6
Primary Heat Exchanger	11.6
Refrigeration Turbine Unit or Air Cycle	11.6
Machine and Secondary Heat Exchanger	11.8

Water Separator	11.9
Refrigeration Bypass Valve	11.9
Vapor Cycle Air Conditioning	11.12
Theory Of Refrigeration	11.12
Basic Vapor Cycle	11.13
Vapor Cycle Air Conditioning System Components	11.13
Refrigerant	11.13
Receiver Dryer	11.15
Expansion Valve	11.15
Evaporator	11.17
Compressor	11.17
Condenser	11.19
Service Valves	11.19
Air Conditioning Servicing	11.20
Manifold Set, Gauges, Hoses, and Fittings	11.20
Air Conditioning Service	11.22
Refrigerant Source	11.22
Vacuum Pumps	11.22
Leak Detectors	11.23
System Servicing	11.24
Visual Inspection	11.24
Leak Test	11.25
Performance Test	11.25
Feel Test	11.25
Purging the System	11.25
Checking Compressor Oil	11.26
Evacuating The System	11.26
Charging The System	11.26
Distribution Systems	11.27
Flow Control	11.28
Temperature Control	11.29
Humidity Control	11.30
Pressurization	11.31
Pressure Of The Atmosphere	11.31
Temperature and Altitude	11.32
Pressurization Terms	11.33
Pressurization Systems	11.33
Control Of Cabin Pressure	11.35
Pressurization Modes	11.35
Cabin Pressure Controllers	11.35
Control Valve (Outflow Valve)	11.37
Cabin Air Pressure Safety Valve Operation	11.38
Pressurization Indication	11.39
Pressurization Operation	11.39
Cabin Pressurization Troubleshooting	11.40
Safety and Warning Devices	11.41
Protection and Warning Devices	11.41

CONTENTS

Questions	11.43
Answers	11.44

SUB-MODULE 12

FIRE PROTECTION (ATA 26)

Knowledge Requirements	12.1
Introduction	12.2
Requirements For Fire To Occur	12.2
Classes Of Fires	12.2
Fire Zones	12.2
Fire Prevention	12.3
Fire Detection and Warning Systems	12.3
Requirements For Overheat and	
Fire Detection Systems	12.3
Thermal Switch Systems	12.4
Thermocouple Systems	12.4
Continuous-Loop Systems	12.5
Fenwal System.....	12.5
Kidde System	12.5
Sensing Element.....	12.6
Combination Fire and Overheat Warning	12.6
Temperature Trend Indication.....	12.6
System Test.....	12.7
Fault Indication	12.7
Dual-Loop Systems	12.7
Automatic Self-Interrogation.....	12.7
Support Tube Mounted Sensing Elements	12.7
Fire Detection Control Unit	
(Fire Detection Card)	12.8
Pressure Type Sensor Responder Systems.....	12.8
Pneumatic Continuous-Loop Systems	12.8
Averaging Function	12.8
Discrete Function.....	12.8
Smoke, Flame, and Carbon Monoxide Detection Systems	12.9
Smoke Detectors	12.9
Light Refraction Type	12.10
Ionization Type	12.10
Flame Detectors.....	12.10
Carbon Monoxide Detectors	12.10
Fire Extinguishing Systems	12.11
Fire Extinguisher Agents	12.11
Fixed Container Fire Extinguishing Systems.....	12.12
Containers	12.12
Discharge Valves	12.13
Pressure Indication	12.14
Two-Way Check Valve	12.14
Discharge Indicators	12.14

Thermal Discharge Indicator (Red Disk)	12.14
Normal Discharge Indicator (Yellow Disk) ..	12.14
Fire Switch	12.14
Fixed Fire Protection: Cargo Compartments.....	12.15
Cargo Compartment Classification	12.15
Cargo Compartment Fire Protection and Warning	12.16
Smoke Detector Systems	12.16
Cargo Compartment Extinguishing System..	12.17
Fixed Fire Protection: Lavatories	12.17
Lavatory Smoke Detector and Warning Systems	12.18
Lavatory Fire Extinguisher Systems	12.19
Fire Detection System Maintenance	12.19
Fire Detection System Troubleshooting	12.21
Fire Extinguisher System Maintenance	12.21
Container Pressure Check.....	12.21
Discharge Cartridges.....	12.22
Agent Containers.....	12.22
Portable Fire Extinguishers	12.22
Portable Extinguisher Types	12.23
Questions	12.25
Answers	12.26

SUB-MODULE 13

FUEL SYSTEMS (ATA 28)

Knowledge Requirements	13.1
Basic Fuel Systems Requirements	13.2
Fuel System Independence	13.2
Fuel System Lightning Protection	13.2
Fuel Flow	13.2
Flow Between Interconnected Tanks	13.2
Unusable Fuel Supply	13.2
Fuel System Hot Weather Operation	13.3
Fuel Tanks	13.3
Pressure Fueling Systems	13.3
Fuel Pumps	13.3
Fuel System Lines and Fittings.....	13.4
Aircraft Fuel System Layout	13.4
Fuel Tanks	13.4
Fuel Supply Systems	13.6
Fuel Feed	13.6
Cross-Feed and Transfer Systems	13.6
Fuel Dumping, Venting and Draining	13.8
Fuel System Drains	13.8
Fuel Vent Systems	13.8
Fuel Jettisoning System	13.8
Fuel System Components.....	13.8
Fuel Lines and Fittings	13.8

Fuel Valves	13.9	Classification Of Pumps.....	14.9
Manually-Operated Gate Valves.....	13.9	Constant-Displacement Pumps.....	14.10
Motor-Operated Valves	13.9	Gear-Type Power Pump	14.10
Solenoid-Operated Valves	13.9	Gerotor Pump	14.10
Fuel Pumps	13.9	Piston Pumps	14.10
Fuel Filters	13.10	Bent Axis Piston Pump	14.12
Fuel Indication and Warnings	13.10	Inline Piston Pump	14.13
Fuel Quantity Indicating Systems.....	13.10	Vane Pump.....	14.13
Ratiometer Type	13.10	Variable-Displacement Pumps	14.13
Capacitance Type.....	13.11	Basic Pumping Operation	14.13
Mechanical Type	13.12	Normal Pumping Mode	14.14
Fuel Flowmeters	13.12	Depressurized Mode.....	14.14
Fuel Temperature Gauges	13.14	Emergency Pressure Generation	14.15
Fuel Heaters.....	13.14	Ram Air Turbine (RAT).....	14.16
Fuel Pressure Gauges.....	13.15	Hydraulic Motors	14.16
Pressure Warning Signal	13.15	Power Transfer Units (PTUS).....	14.17
Valve-In-Transit Indicator Lights	13.16	Hydraulic Motor Driven Generators (HMDGS) ..	14.17
Refueling and Defueling	13.16	Pressure Control	14.18
Fueling	13.17	Relief Valves.....	14.18
Over The Wing Refueling	13.17	Pressure Regulators	14.19
Pressure Refueling	13.18	Pressure Reducers	14.19
Defueling	13.18	Power Distribution	14.20
Fire Hazards When Fueling Or Defueling	13.18	Shutoff alves	14.21
Longitudinal Balance Systems	13.19	Selector Valves	14.21
Questions	13.21	Check Valves	14.21
Answers	13.22	Sequence Valves	14.21
		Priority Valves	14.22
		Shuttle Valves.....	14.22
		Quick Disconnect Valves.....	14.22
		Hydraulic Fuses	14.22
		Other Hydraulic System Components.....	14.22
		Hydraulic Actuators	14.22
		Filters	14.22
		Hydraulic Indicating and Warning	14.23
		Interface With Other Systems	14.24
		Questions	14.27
		Answers	14.28
SUB-MODULE 14		SUB-MODULE 15	
HYDRAULIC POWER (ATA 29)		ICE AND RAIN PROTECTION (ATA 30)	
Knowledge Requirements	14.1	Knowledge Requirements	15.1
Aircraft Hydraulic Power.....	14.2	Ice Formation, Classification, and Effects	15.2
System Layout	14.2	Icing Effects	15.2
Open-Center Hydraulic Systems	14.2	Ice Detection	15.3
Closed-Center Hydraulic Systems	14.3	Anti-Ice Versus Deice.....	15.5
Evolution Of Hydraulic Systems	14.3	Anti-Icing Systems	15.6
Hydraulic Power Pack System.....	14.3	Thermal Pneumatic Anti-Icing	15.6
Modern High Performance Systems.....	14.4		
Hydraulic Fluid	14.5		
Types Of Hydraulic Fluids.....	14.5		
Health and Handling	14.5		
Hydraulic Reservoirs and Accumulators	14.5		
Reservoirs.....	14.5		
Pressurized Reservoirs.....	14.6		
Accumulators	14.7		
Hydraulic Pressure Generation	14.8		
Mechanical, Electrical and Pneumatic-Driven Pumps	14.8		
Hand Pumps	14.8		

CONTENTS

Wing Anti-Ice (WAI) System	15.7	Chemical Propeller De-Ice	15.31
Slat Leading Edges	15.8	Chemical Ground Deicing of Aircraft.....	15.31
WAI Operation	15.8	Frost Removal	15.31
WAI Control	15.10	Deicing Fluid	15.32
WAI Indication System	15.11	Holdover Time (HOT)	15.32
WAI System BITE Test	15.12	Critical Surfaces	15.33
Engine Anti-Ice (EAI)	15.12	Ice and Snow Removal.....	15.34
Thermal Electric Anti-Icing	15.12	Rain Control Systems.....	15.34
Probe Anti-Ice.....	15.13	Windshield Wiper Systems	15.34
Water System and Drain Anti-Ice	15.13	Chemical Rain Repellent	15.35
Windshield Anti-Ice	15.14	Windshield Surface Seal Coating	15.36
Propeller Anti-Ice	15.16	Pneumatic Rain Removal Systems	15.36
Chemical Anti-Icing	15.16	Questions	15.39
Ground Applied Anti-Ice	15.17	Answers	15.40
De-Icing Systems	15.18		
Pneumatic De-Ice Boots	15.18	SUB-MODULE 16	
Construction and Installation of Deice Boots	15.19	LANDING GEAR (ATA 32)	
Sources of Operating Air	15.19	Knowledge Requirements	16.1
Turbine Engine Bleed Air	15.19	Landing Gear Construction.....	16.2
Reciprocating Engine Aircraft	15.19	Landing Gear Configurations	16.3
De-ice Systems	15.19	Tail Wheel-Type Landing Gear	16.3
System Operation.....	15.20	Tandem Landing Gear	16.3
Deice System for Turboprop Aircraft.....	15.21	Tricycle-Type Landing Gear	16.3
Deicing System Components	15.21	Fixed and Retractable Landing Gear	16.5
Wet-Type Engine-Driven Air Pump.....	15.23	Shock Absorbing	16.6
Dry Type Engine Driven Air Pump	15.24	Shock Struts.....	16.6
Oil Separator	15.24	Extension and Retraction Systems: Normal	16.7
Control Valve	15.24	Emergency Extension Systems.....	16.9
Deflate Valve	15.24	Landing Gear Retraction Test.....	16.10
Distributor Valve	15.24	Indications and Warning	16.11
Timer/Control Unit	15.25	Landing Gear Safety Devices	16.12
Regulators and Relief Valves	15.25	Ground Locks	16.12
Manifold Assembly	15.25	Nose Wheel Centering	16.12
Inlet Filter	15.26	Safety Switches	16.12
Inspection, Maintenance, and Troubleshooting		Proximity Sensors	16.13
of Rubber Deicer Boot Systems	15.26	Air-Ground Sensing.....	16.14
Operational Checks	15.26	Steering.....	16.15
Adjustments	15.27	Nose Wheel Steering.....	16.15
Troubleshooting	15.27	Steering Damper	16.16
Inspection.....	15.28	Shimmy Dampers	16.16
Deice Boot Maintenance	15.28	Aircraft Wheels	16.18
Electrical De-Icing Systems	15.28	Wheel Construction	16.18
Electric Propeller De-ice	15.28	Inboard Wheel Half	16.19
Electric Airfoil De-Ice Boots	15.29	Outboard Wheel Half.....	16.20
Hot Air De-Ice/De-Fog	15.29	Wheel Inspection.....	16.21
Chemical De-Ice Systems	15.30	On Aircraft Inspection	16.21
Windshield Chemical De-Ice.....	15.30	Proper Installation	16.21

Axle Nut Torque	16.21	Ply Rating	16.53
Off Aircraft Wheel Inspection	16.22	Tube-Type Or Tubeless	16.53
Loosening The Tire From The Wheel Rim	16.22	Bias Ply Or Radial	16.53
Disassembly Of The Wheel	16.22	Tire Construction.....	16.54
Cleaning The Wheel Assembly	16.22	Bead	16.54
Inspection Of The Wheel Halves.....	16.22	Carcass Plies	16.54
Wheel Tie Bolt Inspection	16.23	Tread	16.54
Key and Key Screw Inspection	16.23	Sidewall	16.54
Fusible Plug Inspection.....	16.24	Chine	16.54
Balance Weights	16.24	Tire Inspection On The Aircraft.....	16.54
Wheel Bearings	16.25	Tire Removal	16.55
Cleaning The Wheel Bearings	16.25	Questions	16.57
Inspection Of Wheel Bearings	16.25	Answers	16.58
Bearing Handling and Lubrication.....	16.27		
Aircraft Brakes	16.28	SUB-MODULE 17	
Types and Construction Of Aircraft Brakes.....	16.28	OXYGEN (ATA 35)	
Single Disc Brakes	16.28	Knowledge Requirements	17.1
Floating Disc Brakes.....	16.28	Oxygen and The Atmosphere.....	17.2
Fixed-Disc Brakes.....	16.30	Human Respiration and Circulation	17.2
Dual-Disc Brakes	16.31	Sources Of Oxygen	17.3
Multiple-Disc Brakes	16.31	Oxygen Storage	17.4
Segmented Rotor-Disc Brakes	16.32	Gaseous Oxygen Tanks.....	17.4
Carbon Brakes	16.36	Chemical Or Solid Oxygen.....	17.5
Expander Tube Brakes.....	16.37	Onboard Oxygen Generating Systems (OBOGS) ..	17.6
Brake Actuating Systems.....	16.38	Liquid Oxygen.....	17.6
Independent Master Cylinders	16.38	Oxygen Charging.....	17.7
Boosted Brakes	16.40	Oxygen Systems and Supply Regulation	17.8
Power Brakes	16.41	Continuous-Flow Systems.....	17.9
Brake Control Valve/ Brake Metering Valve	16.43	System Layout: Cabin (Continuous Flow)	17.9
Emergency Brake Systems.....	16.45	Demand-Flow Systems	17.11
Parking Brake	16.46	Diluter-Demand	17.12
Brake Deboosters.....	16.46	Pressure Demand	17.12
Anti-Skid	16.47	System Layout: Cockpit	17.12
System Operation	16.47	Chemical Oxygen Systems	17.15
Wheel Speed Sensors	16.47	Electronic Pulse Demand Systems	17.15
Control Units.....	16.48	LOX Systems.....	17.16
Antiskid Control Valves	16.50	Oxygen System Distribution	17.16
Touchdown and Lock Wheel Protection	16.50	Oxygen Indication and Warnings	17.17
Antiskid System Tests	16.51	Oxygen System Maintenance.....	17.18
Ground Test.....	16.51	Leak Testing Gaseous Oxygen Systems	17.18
In-Flight Test.....	16.51	Draining An Oxygen System	17.19
Antiskid System Maintenance	16.51	Purging An Oxygen System	17.20
Wheel Speed Sensor	16.51	Inspection Of Masks and Hoses	17.20
Control Valve.....	16.51	Replacement Of Tubing, Valves, and Fittings	17.20
Control Unit.....	16.51	Oxygen System Safety	17.21
Auto Braking	16.52	Questions	17.23
Aircraft Tires and Tubes	16.53	Answers	17.24

CONTENTS

SUB-MODULE 18

PNEUMATIC/VACUUM (ATA 36)

Knowledge Requirements	18.1
Pneumatic / Vacuum (ATA 36)	18.2
Vacuum Systems	18.2
System Layout	18.2
Cockpit.....	18.2
Cabin	18.2
Pneumatic Systems	18.2
High Pressure Systems	18.2
System Layout	18.2
Sources	18.3
Storage	18.3
Charging	18.4
Distribution	18.4
Supply Regulation	18.4
Emergency Back-Up Systems / Pneudraulics	18.5
Nitrogen Bottles	18.5
Gear Emergency Extension Cable and Handle	18.5
Dump Valve	18.5
High Pressure Pneumatic Power System	
Maintenance	18.6
Medium-Pressure Pneumatic Systems.....	18.7
System Layout	18.7
Sources	18.7
Storage	18.7
Pressure Control	18.7
Distribution	18.8
Indications and Warnings	18.10
Interface With Other Systems.....	18.10
Questions	18.13
Answers	18.14

SUB-MODULE 19

WATER/WASTE (ATA 38)

Knowledge Requirements	19.1
Water/Waste Systems.....	19.2
Layout	19.2
Supply.....	19.2
Distribution	19.2
Servicing	19.3
Draining.....	19.4
Toilet Systems.....	19.5
Flushing	19.5
Layout	19.6
Servicing	19.6
Corrosion Aspects	19.8

Questions	19.11
Answers	19.12

SUB-MODULE 20

INTEGRATED MODULAR AVIONICS (ATA 42)

Knowledge Requirements	20.1
Introduction	20.2
Integration Of Avionics	20.2
Digital Data Bus Use	
Reduces Wiring	20.4
Computer Architecture	20.6
Design Concepts.....	20.6
Common Core System (CCS) Concept	20.6
Network Components.....	20.6
Boeing 777 Aims	20.7
Open IMA Concept.....	20.11
Questions	20.13
Answers	20.14

SUB-MODULE 21

CABIN SYSTEMS (ATA 44)

Knowledge Requirements	21.1
Introduction	21.2
Cabin Intercommunication Data System	21.2
Cabin Network Service	21.2
Cabin Core System.....	21.3
777 Cabin Services System	21.3
In-Flight Entertainment (IFE) – Boeing 777	21.3
External Communication System	21.5
Cabin Mass Memory System	21.6
Cabin Monitoring System	21.6
Miscellaneous Cabin Systems	21.7
Aircraft Wi-Fi	21.7
External Cameras	21.7
FLIR	21.8
Pictorial Moving Map Displays	21.8
Questions	21.9
Answers	21.10

SUB-MODULE 22

INFORMATION SYSTEMS (ATA 46)

Knowledge Requirements	22.1
Information Systems Introduction	22.2
Boeing Information Systems	22.2
Flight Deck B777 Electronic Flight Bag	22.2
Maintenance Information System	22.3
Passenger Cabin Information System	22.4

Airbus Information Systems	22.4
Network Server System (NSS)	22.5
Avionics Domain	22.6
Flight Operations Domain.....	22.6
Communication and Cabin Domain	22.7
Air Traffic and Information Management System	22.7
Air Traffic Service Unit (ATSU)	22.9
Datalink Control and Display Units (DCDU).....	22.9
Multifunction Control Display Unit (MCDU)	22.10
Questions	22.11
Answers	22.12
Acronym Index.....	A.1
Index	I.1

AEROPLANE AERODYNAMICS AND FLIGHT CONTROLS

The directional control of a fixed-wing aircraft takes place around the lateral, longitudinal, and vertical axes by means of flight control surfaces designed to create movement about these axes. These control devices are hinged or movable surfaces through which the attitude of an aircraft is controlled during takeoff, flight, and landing. They are usually divided into two major groups: 1) primary or main flight control surfaces and 2) secondary or auxiliary control surfaces.

PRIMARY FLIGHT CONTROL SURFACES

The primary flight control surfaces on a fixed-wing aircraft include: ailerons, elevators, and the rudder. The ailerons are attached to the trailing edge of both wings and when moved, rotate the aircraft around the longitudinal axis. The elevator is attached to the trailing edge of the horizontal stabilizer. When it is moved, it alters aircraft pitch, which is the attitude about the horizontal or lateral axis. The rudder is hinged to the trailing edge of the vertical stabilizer. When the rudder changes position, the aircraft rotates about the vertical axis (yaw). **Figure 1-1** shows the primary flight controls of a light aircraft and the movement they create relative to the three axes of flight.

Primary control surfaces are usually similar in construction to one another and vary only in size, shape, and methods of attachment. On aluminum light aircraft, their structure is often similar to an all-metal wing. This is appropriate because the primary control surfaces are simply smaller aerodynamic devices. They are typically made from an aluminum alloy structure built around a single spar member or torque tube to which ribs are fitted and a skin is attached. The lightweight ribs are, in many cases, stamped out from flat aluminum sheet stock. Holes in the ribs lighten the assembly. An aluminum skin is attached with rivets. **Figure 1-2** illustrates this type of structure, which can be found on the primary control surfaces of light aircraft as well as on medium and heavy aircraft.

Primary control surfaces constructed from composite materials are also commonly used. These are found on many heavy and high-performance aircraft, as well as gliders, home-built, and light-sport aircraft.

The weight and strength advantages over traditional construction can be significant. A wide variety of




Figure 1-1. Flight control surfaces move the aircraft around the three axes of flight.




Figure 1-2. Typical structure of an aluminum flight control surface.

materials and construction techniques are employed. **Figure 1-3** shows examples of aircraft that use composite technology on primary flight control surfaces. Note that the control surfaces of fabric-covered aircraft often have fabric covered surfaces just as aluminum-skinned (light) aircraft typically have all-aluminum control surfaces.

OPERATION AND EFFECT OF ROLL CONTROL DEVICES

AILERONS

Ailerons are the primary flight control surfaces that move the aircraft about the longitudinal axis. In other

words, movement of the ailerons in flight causes the aircraft to roll. Ailerons are usually located on the outboard trailing edge of each of the wings. They are built into the wing and are calculated as part of the wing's surface area. **Figure 1-4** shows aileron locations on various wing tip designs.

Ailerons are controlled by a side-to-side motion of the control stick in the cockpit or a rotation of the control yoke. When the aileron on one wing deflects down, the aileron on the opposite wing deflects upward. This amplifies the movement of the aircraft around the longitudinal axis. On the wing on which the aileron

trailing edge moves downward, camber is increased and lift is increased. Conversely, on the other wing, the raised aileron decreases lift. (**Figure 1-5**)

The result is a sensitive response to the control input to roll the aircraft. The pilot's request for aileron movement and roll are transmitted from the cockpit to the actual control surface in a variety of ways depending on the aircraft. A system of control cables and pulleys, push-pull tubes, hydraulics, electric, or a combination of these can be employed. (**Figure 1-6**)

Simple, light aircraft usually do not have hydraulic or electric fly-by-wire aileron control. These are found on heavy and high-performance aircraft. Large aircraft and some high performance aircraft may also have a second set of ailerons located inboard on the trailing edge of the wings. These are part of a complex system of primary and secondary control surfaces used to provide lateral control and stability in flight. At low speeds, the ailerons may be augmented by the use of flaps and spoilers. At high speeds, only inboard aileron deflection is required to roll the aircraft while the other control surfaces are locked out or remain stationary.



Figure 1-3. Composite control surfaces and some of the many aircraft that utilize them.




Figure 1-4. Aileron location on various wings.




Figure 1-5. Differential aileron control movement. When one aileron is moved down, the aileron on the opposite wing is deflected upward.




Figure 1-6. Transferring control surface inputs from the cockpit.

Figure 1-7 illustrates the location of the typical flight control surfaces found on a transport category aircraft.

SPOILERS

A spoiler is a device found on the upper surface of many heavy and high-performance aircraft. It is stowed flush to the wing's upper surface. When deployed, it raises up into the airstream and disrupts the laminar airflow of the wing, thus reducing lift. Spoilers are made with similar construction materials and techniques as the other flight control surfaces on the aircraft. At low speeds, spoilers

are rigged to operate when the ailerons operate to assist with the lateral movement and stability of the aircraft. On the wing where the aileron is moved up, the spoilers also raise thus amplifying the reduction of lift on that wing. (**Figure 1-8**) On the wing with downward aileron deflection, the spoilers remain stowed. As the speed of the aircraft increases, the ailerons become more effective and the spoiler interconnect disengages. Note that spoilers are also used in as drag inducing devices.

OPERATION AND EFFECT OF PITCH CONTROL DEVICES

ELEVATORS

The elevator is the primary flight control surface that moves the aircraft around the horizontal or lateral axis. This causes the nose of the aircraft to pitch up or down. The elevator is hinged to the trailing edge of the horizontal stabilizer and typically spans most or all of its width. It is controlled in the cockpit by pushing or pulling the control yoke forward or aft. Light aircraft use a system of control cables and pulleys or push pull tubes to transfer cockpit inputs to the movement of the elevator. High performance and large aircraft typically employ more complex systems. Hydraulic power is commonly used to move the elevator on these aircraft.




Figure 1-7. Typical flight control surfaces on a transport category aircraft.



Figure 1-8. Spoilers deployed upon landing a transport category aircraft.

On aircraft equipped with fly-by-wire controls, a combination of electrical and hydraulic power is used.

STABILATORS

A movable horizontal tail section, called a stabilator, is a control surface that combines the action of both the horizontal stabilizer and the elevator. (*Figure 1-9*) Basically, a stabilator is a horizontal stabilizer that can also be rotated about the horizontal axis to affect the pitch of the aircraft.

VARIABLE INCIDENCE STABILIZERS

A variable incidence stabilizer refers to any horizontal stabilizer in which the angle of incidence of the horizontal stabilizer is adjustable. Thus, a stabilator is a variable incidence horizontal stabilizer. Various mechanisms and operating rigging are available. Most large aircraft use a motorized jackscrew to alter the position of the stabilizer often energized by the trim tab switch on the control yoke. The reason for a stabilator or any horizontal stabilizer variable incidence device is to minimize drag when trimming the aircraft in flight. Deflection of the elevator via the use of a trim tab causes drag and requires a relatively large elevator on large aircraft to achieve all desired trim settings. By varying the angle of the horizontal stabilizer to adjust pitch, less drag is created and elevator size and deflection may be reduced. (*Figure 1-10*)



Figure 1-9. A stabilizer and index marks on a transport category aircraft.




Figure 1-10. Some airplanes, including most jet transports, use an variable stabilizer to provide the required pitch trim forces.

CANARDS

A canard utilizes the concept of two lifting surfaces. It functions as a horizontal stabilizer located in front of the main wings. In effect, the canard is an airfoil similar to the horizontal surface on a conventional aft-tail design. The difference is that the canard actually creates lift and holds the nose up, as opposed to the aft-tail design which exerts downward force on the tail to prevent the nose from rotating downward. (*Figure 1-11*)

The canard design dates back to the pioneer days of aviation, most notably used on the Wright Flyer. Recently, the canard configuration has regained popularity and is appearing on newer aircraft. Canard designs include two types—one with a horizontal surface of about the same size as a normal aft-tail design, and the other with a surface of the same approximate size and airfoil shape of the aft-mounted wing known as a tandem wing configuration. Theoretically, the canard is considered more efficient because using the horizontal surface to help lift the weight of the aircraft should result in less drag for a given amount of lift.



Figure 1-11. The Piaggio P180 includes a variable-sweep canard design, which provides longitudinal stability about the lateral axis.

OPERATION AND EFFECT OF YAW CONTROL DEVICES

RUDDERS

The rudder is the primary control surface that causes an aircraft to yaw or move about the vertical axis. This provides directional control and thus points the nose of the aircraft in the direction desired. Most aircraft have a single rudder hinged to the trailing edge of the vertical stabilizer. It is controlled by a pair of foot-operated rudder pedals in the cockpit. When the right pedal is pushed forward, it deflects the rudder to the right which moves the nose of the aircraft to the right. The left pedal is rigged to simultaneously move aft. When the left pedal is pushed forward, the nose of the aircraft moves to the left.

As with the other primary flight controls, the transfer of the movement of the cockpit controls to the rudder varies with the complexity of the aircraft. Many aircraft incorporate the directional movement of the nose or tail wheel into the rudder control system for ground operation. This allows the operator to steer the aircraft with the rudder pedals during taxi when the airspeed is not high enough for the control surfaces to be effective. Some large aircraft have a split rudder arrangement. This is actually two rudders, one above the other. At low speeds, both rudders deflect in the same direction when the pedals are pushed. At higher speeds, one of the rudders becomes inoperative as the deflection of a single rudder is aerodynamically sufficient to maneuver the aircraft.

RUDDER LIMITERS

In flight, most large aircraft oscillate slightly from side to side. Yaw dampener units automatically detect this movement and send signals to the hydraulic power control unit (PCU) that moves the rudder so that it can correct for these yaw oscillations. Similarly, rudders are known to deflect without being commanded to do so by the flight crew. Again, the yaw dampener is designed to correct the fluctuations by signaling the PCU. However, too large of an involuntary deflection to a rudder can cause a loss of control of the aircraft. A rudder limiter is fitted to many aircraft to prevent any more than a few degrees of involuntary motion of the rudder. Essentially, it limits the movement unless it is commanded from the flight deck.

SECONDARY OR AUXILIARY CONTROL SURFACES

There are several secondary or auxiliary flight control surfaces. Their names, locations, and functions of those for most large aircraft are listed in *Figure 1-12*.

OPERATION AND EFFECT OF TABS

Trim Tabs

The force of the air against a control surface during the high speed of flight can make it difficult to move and hold that control surface in the deflected position. A control surface might also be too sensitive for similar reasons. Several different tabs are used to aid with these types of problems. The table in *Figure 1-13* summarizes the various tabs and their uses. While in flight, it is desirable for the pilot to be able to take his or her hands and feet off of the controls and have the aircraft maintain its flight condition.

Trim tabs are designed to allow this. Most trim tabs are small movable surfaces located on the trailing edge of a primary flight control surface. A small movement of the tab in the direction opposite of the direction the flight control surface is deflected, causing air to strike the tab, in turn producing a force that aids in maintaining the flight control surface in the desired position. Through linkage set from the cockpit, the tab can be positioned so that it is actually holding the control surface in position rather than the pilot. Therefore, elevator tabs are used to maintain the speed of the aircraft since they assist in maintaining the selected pitch. Rudder tabs can be set to hold yaw in check and maintain heading. Aileron tabs can help keep the wings level.